◆ New The executive guide to generative Al Read more About us Partners Support ⑤ EN ✓ ② Login



Products >

Solutions >

Why Flastic?

Resources ~

Pricing

Q<sup>+</sup> Search

Elastic Cloud pricing

Elastic Cloud Hosted pricing

Elastic Gloud Serverless pricing

Selfmanaged



# Elastic selfmanaged subscriptions



The Elastic Stack — Elasticsearch, Kibana, and Integrations — powers a variety of use cases. And we have flexible plans to help you get the most out of your on-prem subscriptions.

Our <u>resource-based pricing philosophy</u> is simple: You only pay for the data you *use*, at any scale, for every use case.

Contact sales for more pricing information about self-managed licensing.



Contact us

Free and open - Basic <sup>1, 2</sup>	Platinum	Enter- prise	Gold (Discon- tinued) <sup>9</sup>
---	----------	-----------------	--

### **ELASTIC STACK OPERATIONS & MANAGEMENT**

Storage types				
Inverted index (for search)	~	~	~	~
Evaluating calculated fields at index time	~	~	~	~
Runtime fields	~	~	~	~
Lookup runtime field	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Document store (for unstructured)	~	<b>✓</b>	~	~
Columnar store (for analytics)	~	~	~	<b>✓</b>
BKD trees (for numeric, dates, & geo)	<b>✓</b>	<b>✓</b>	~	~

Flattened field type	<b>✓</b>	<b>✓</b>	~	<b>~</b>
Histogram field type	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Match only text field type	<b>✓</b>	<b>✓</b>	~	<b>✓</b>
Shape field type	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Vector field type	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Version field type	<b>✓</b>	<b>~</b>	<b>~</b>	<b>✓</b>
Wildcard field type	<b>✓</b>	<b>✓</b>	~	~
Synthetic _source	15	15	~	15
Data management				
Searchable snapshots			<b>~</b>	
Snapshot/restore APIs	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>✓</b>
Snapshot as simple archives			~	
Snapshot lifecycle		<b>✓</b>	<b>~</b>	<b>~</b>
management	•	·	·	

Data rollups	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Data streams	~	~	~	~
Data tiers	~	<b>~</b>	~	~
Data transforms	~	<b>~</b>	~	~
Index lifecycle management	~	<b>✓</b>	~	~
Data stream lifecycle	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Downsampling lifecycle	<b>✓</b>	<b>✓</b>	~	<b>✓</b>
Stack management				
Stack management  Data import tutorials	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Data import tutorials Ingest Node Pipeline	✓	✓	✓	✓
Data import tutorials Ingest Node Pipeline Builder UI	*	*	*	*
Data import tutorials Ingest Node Pipeline Builder UI Grok Debugger	*	*	*	

Scalability & resiliency

Clustering & high availability	<b>✓</b>	~	<b>✓</b>	~
Cluster rebalancing	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Advanced cluster rebalancing <sup>13</sup>			<b>✓</b>	
Cross-cluster search (legacy certificate based security model / _search only)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Cross-cluster search (advanced API-key based security model / including ES QL)			<b>✓</b>	
Cross-cluster ES QL			<b>✓</b>	
Cross-cluster replication		<b>✓</b>	<b>✓</b>	
Elastic Stack security				
Secure settings	<b>✓</b>	~	<b>✓</b>	<b>~</b>
Encrypted communications	<b>✓</b>	~	~	<b>✓</b>
Role-based access control	<b>✓</b>	~	<b>✓</b>	<b>✓</b>

Anonymous access control (public sharing)	~	~	~	~
File and native authentication	~	~	<b>✓</b>	~
Kibana Spaces	~	~	~	<b>~</b>
Kibana feature controls	~	~	~	~
Kibana sub-feature privileges <sup>8</sup>		~	~	~
Prelogin access agreement		~	~	~
API keys management	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Elasticsearch audit logging		<b>✓</b>	<b>✓</b>	~
Kibana audit logging		~	~	~
IP filtering		~	~	<b>~</b>
LDAP, PKI <sup>3</sup> , Active Directory authentication		<b>✓</b>	<b>✓</b>	~
Elasticsearch Token Service		~	<b>✓</b>	~

Single sign-on (SAML, OpenID Connect, Kerberos, JWT)		<b>✓</b>	<b>✓</b>	
Attribute-based access control		~	~	
Field- and document- level security		~	~	
Custom authentication & authorization realms		~	~	
Encryption at rest support		~	~	
FIPS 140-2 mode		<b>✓</b>	~	
Advanced security for remote clusters			~	
Stack monitoring				
Full stack monitoring	~	~	~	~
Multi-stack monitoring		~	~	~
Configurable retention policy		~	~	<b>✓</b>
Kibana alerting and actions <sup>5</sup>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>

Alerting

Noise reduction capabilities (e.g: Scheduled Snooze, Muting, Deduping, etc.)	<b>✓</b>	~	~	<b>✓</b>
Maintenance Windows		~	<b>✓</b>	
Tracking containment rule type (geofencing)		~	~	~
Anomaly detection rule types by Machine Learning		<b>✓</b>	<b>✓</b>	
Operational rule type for transforms	<b>✓</b>	~	~	~
Search threshold rule types for Discover	<b>✓</b>	~	~	<b>✓</b>
Case Management	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Case user assignment		~	~	
Elastic Connectors (e.g., Server Log and Index)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>

Connectors (Actions) (e.g., email, webhook, Jira, MS Teams, IBM Resilient, OpsGenie, PagerDuty, Slack, ServiceNow®, Tines, Torq, Swimlane, xMatters, D3 Security, TheHive, XSOAR)		<b>✓</b>	<b>✓</b>	<b>✓</b>
Connectors (Actions) (e.g., OpenAI, Amazon Bedrock, Google Gemini, Sentinel One, CrowdStrike, AI Connector, Microsoft Defender for Endpoint)			<b>✓</b>	
Watcher		<b>~</b>	<b>~</b>	<b>~</b>
Clients				
Cilents				
REST APIs	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>
REST APIs	✓	✓ ✓	*	✓
REST APIs  Language clients	*	*	*	*
REST APIs  Language clients  Query DSL	* * * * *	*	* * * *	*

ODBC Client		~	<b>~</b>	
Tableau Connector		~	~	
Localized UI				
English	<b>~</b>	<b>✓</b>	<b>~</b>	~
Chinese (Simplified)	~	~	<b>~</b>	~
French	~	~	<b>~</b>	~
Japanese	~	~	~	~

## **SEARCH & ANALYSIS**

Full-text search				
Relevance scoring	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>✓</b>
Highlighting	~	<b>✓</b>	<b>~</b>	~
Type ahead	~	<b>✓</b>	<b>~</b>	~
Corrections	~	<b>✓</b>	<b>~</b>	~
Suggestions	~	<b>✓</b>	<b>~</b>	~
Percolations	~	<b>~</b>	<b>~</b>	~

Async search	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Results pinning	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Dynamically updateable synonyms	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Query profiler	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Similarity functions for vector fields	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Vector search	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Reciprocal Rank Fusion (RRF) for hybrid search			<b>✓</b>	
Doc-value-only fields	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Synonym management	<b>✓</b>	<b>✓</b>	<b>~</b>	
Query Rules			<b>✓</b>	
Learning to Rank			<b>✓</b>	
Retrievers	<b>✓</b>	<b>✓</b>	<b>~</b>	
Rank Vectors (for MaxSim)			<b>✓</b>	

Aggregations	<b>✓</b>	<b>✓</b>	<b>~</b>	~
Boxplot aggregation	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Cumulative cardinality aggregation	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Geoline aggregation		<b>✓</b>	<b>~</b>	~
Geoshape aggregations		~	<b>✓</b>	~
Geohexgrid aggregations		~	<b>✓</b>	~
Geogrid query	<b>✓</b>	<b>✓</b>	<b>~</b>	~
Moving percentiles aggregation	<b>✓</b>	<b>✓</b>	<b>~</b>	~
Multi terms aggregation	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Normalize aggregation	<b>✓</b>	<b>✓</b>	<b>~</b>	~
Range aggregation over histogram fields	<b>✓</b>	~	<b>✓</b>	~
Random sampler aggregation	<b>✓</b>	~	<b>✓</b>	~
Rate aggregation	<b>✓</b>	<b>~</b>	<b>✓</b>	~

Significant terms aggregation p-value score	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
String stats aggregation	~	<b>✓</b>	<b>✓</b>	<b>~</b>
Text categorization aggregation		<b>✓</b>	<b>✓</b>	
Top metrics aggregation	~	<b>✓</b>	<b>✓</b>	<b>~</b>
T-test aggregation	<b>~</b>	<b>~</b>	<b>✓</b>	<b>~</b>
Graph exploration		<b>~</b>	<b>✓</b>	
Vector tiles API	~	<b>~</b>	<b>~</b>	~
Query languages				
Elasticsearch SQL APIs & CLI	~	<b>✓</b>	<b>✓</b>	<b>~</b>
Event Query Language (EQL)	~	<b>✓</b>	<b>✓</b>	<b>~</b>
ES QL (Elasticsearch Query Language)	~	<b>✓</b>	<b>✓</b>	<b>~</b>
Cross-cluster ES QL			<b>✓</b>	

### MACHINE LEARNING

Data exploration for machine learning					
Data Visualizer	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	
File upload wizard	<b>✓</b>	~	~	<b>~</b>	
Data drift		<b>~</b>	<b>~</b>		
Dashboard embeddables		~	~		
Anomaly detection					
Single metric and multi-metric		~	~		
Population/entity analysis		~	~		
Log message categorization		~	~		
Rare analysis		<b>~</b>	~		
Root cause indication		<b>~</b>	<b>~</b>		
Forecasting on time series		~	~		
DST support		~	~		

Data frame analysis				
Outlier detection		<b>~</b>	<b>✓</b>	
Regression		<b>~</b>	<b>✓</b>	
Classification		<b>~</b>	<b>✓</b>	
Feature importance		<b>~</b>	<b>~</b>	
Inference and model management				
Language identification	<b>✓</b>	<b>✓</b>	~	~
Third party model management, for ML nodes		<b>✓</b>	<b>✓</b>	
Kibana Space access to models		<b>~</b>	<b>✓</b>	
Elastic Learned Sparse Encoder (ELSER) - packaged for ML nodes		<b>✓</b>	<b>✓</b>	
e5 - packaged for ML nodes		<b>✓</b>	<b>✓</b>	
Elastic Rerank			<b>~</b>	

Elastic inference service (ELSER, Elastic managed LLM) [footnote] Additional usage charges apply			<b>✓</b>		
Inference API - Elastic managed (ELSER, e5, Elastic Rerank, Elastic managed LLM)			<b>✓</b>		
Inference API - support for third party and self managed embeddings, reranking and LLM providers			<b>✓</b>		
AlOps					
Explain log rate spikes		<b>✓</b>	<b>✓</b>		
Log Pattern Analysis		<b>~</b>	<b>✓</b>		
Change Point Detection		<b>✓</b>	<b>✓</b>		
ELASTICSEARCH					
Search server	<b>~</b>	~	~	<b>~</b>	
Search management UI	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	

Search stack monitoring	<b>✓</b>	<b>✓</b>	~	<b>~</b>	
Dashboards for web and search analytics	<b>✓</b>	<b>✓</b>	~	<b>~</b>	
Dev Console	<b>~</b>	<b>~</b>	~	~	
Elastic AI Assistant			~		
Content Management					
Content management UI	<b>✓</b>	<b>✓</b>	~	<b>~</b>	
Ingestion pipeline management		<b>✓</b>	~		
Inference processor management		<b>✓</b>	~		
Extraction Service (Beta)		<b>✓</b>	<b>✓</b>		
Machine Learning / Al					
Third party model management, for ML nodes		<b>✓</b>	<b>✓</b>		

Elastic Learned Sparse Encoder (ELSER) - packaged for ML nodes		<b>✓</b>	<b>✓</b>	
e5 - packaged for ML nodes		~	<b>✓</b>	
Elastic Rerank			<b>✓</b>	
Elastic inference service (ELSER, Elastic Managed LLM) [footnote] Additional usage charges apply			<b>✓</b>	
Inference API - Elastic managed (ELSER, e5, Elastic Rerank, Elastic managed LLM)			<b>✓</b>	
Inference API - support for third party and self managed embeddings, reranking and LLM providers			<b>✓</b>	
Playground			<b>~</b>	
Query and relevance				
Elasticsearch query DSL	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>

ES QL (Elasticsearch Query Language)	~	~	~	<b>✓</b>	
ES QL Lookup Joins	~	~	~	<b>✓</b>	
Language-specific relevance	~	~	~	<b>✓</b>	
Vector search	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	
Similarity functions for vector fields	~	~	~	~	
Synonym management	<b>✓</b>	<b>✓</b>	<b>✓</b>		
Reciprocal Rank Fusion (RRF) for hybrid search			~		
Synonym management	<b>✓</b>	<b>✓</b>	<b>✓</b>		
Query rules			<b>✓</b>		
Learning to Rank (LTR)			<b>~</b>		
Search Applications (beta)			<b>✓</b>		
Clients					
Language clients (open source)	~	~	~	~	

Search UI (open source)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Al ecosystem client integrations (open source)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Web and search analytics client (Beta)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Security				
Encrypted communications	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Role-based access control	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
LDAP, PKI <sup>3</sup> , Active Directory authentication		<b>✓</b>	<b>✓</b>	<b>✓</b>
Single sign-on (SAML, OpenID Connect, Kerberos, JWT)		<b>✓</b>	<b>✓</b>	
Encryption at rest support	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>

# **DATA INGEST & TRANSFORMATION**

Ingest products & features

Filebeat, Metricbeat, Winlogbeat, Packetbeat <sup>12</sup> , Heartbeat, Auditbeat	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Functionbeat	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Real browser-based synthetic monitoring agent	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Logstash	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
ES-Hadoop	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
File import wizard	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Auto Import (Tech Preview)			<b>~</b>	
Fleet				
Fleet Server	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
	✓	✓	✓	<b>✓</b>
Fleet Server	✓ ✓	*	✓	✓
Fleet Server Fleet app	*	*	*	*

Scheduled agent binary upgrades		~	~	
Selective agent policy reassignment	~	~	~	~
Selective agent unenrollment	~	~	~	~
Per Policy output assignment		<b>✓</b>	~	
Per Integration output assignment			~	
Reusable Integration policies			<b>✓</b>	

Data sources - For a full list of integrations available, check out our Integrations page.

Abuse.ch	~	~	~	~
Audit system data	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Cisco Firepower	~	~	~	~
Check Point Firewall	~	~	~	~
Cloudflare	~	~	~	<b>~</b>
CrowdStrike Falcon	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>

Fortinet Fortigate	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
File Integrity Monitoring	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Google Workspace	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Microsoft 365 Defender & Defender for Endpoint	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Microsoft (Office) 365	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Network Packet Capture	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
NetFlow & IPFIX	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Okta	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Palo Alto Networks Cortex XDR	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Palo Alto Networks Firewalls	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
SentinelOne	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Tenable	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Zscaler	~	~	~	<b>~</b>

Data transformation

Index time enrichment	~	~	~	~
Processors	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Analyzers	~	~	~	~
Tokenizers	~	~	~	~
Filters	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Filter on ANN - vector Search	~	~	~	<b>~</b>
Grok	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Field transformation	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
External lookup enrichment	~	<b>✓</b>	~	<b>~</b>
Circle ingest processor	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Match & Geo-match enrich processor <sup>10</sup>	~	<b>✓</b>	~	<b>~</b>
Support for MaxMind commercial databases			~	
Support for IPinfo commercial databases			~	

Redact ingest processor		<b>✓</b>	<b>✓</b>	
Elastic Common Schema				
Elastic Common Schema	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Content Integrations <sup>16</sup>				
Elastic open web crawler		<b>✓</b>	<b>✓</b>	~
Connector Framework	<b>~</b>	<b>✓</b>	<b>✓</b>	~
Connector API	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Azure Blob Storage connector		<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Box connector		<b>✓</b>	<b>✓</b>	~
Elastic Confluence Cloud & Server connector		<b>✓</b>	<b>✓</b>	<b>✓</b>
Elastic Confluence Data Center connector		<b>✓</b>	<b>✓</b>	<b>✓</b>
Elastic Dropbox connector		~	<b>✓</b>	~

Elastic GitHub & GitHub Enterprise Server connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Gmail connector	~	<b>✓</b>	~
Elastic Google Cloud Storage connector	~	<b>✓</b>	<b>~</b>
Elastic Google Drive connector	~	<b>✓</b>	<b>~</b>
Elastic GraphQL connector	~	<b>✓</b>	<b>~</b>
Elastic Jira Cloud & Server connector	~	<b>✓</b>	<b>~</b>
Elastic Jira Data Center connector	~	<b>✓</b>	<b>~</b>
Elastic MongoDB connector	~	<b>✓</b>	<b>~</b>
Elastic Microsoft SQL connector	~	<b>✓</b>	<b>~</b>
Elastic MySQL connector	~	<b>✓</b>	<b>~</b>
Elastic Network Drive connector	~	<b>✓</b>	<b>~</b>

Elastic Notion connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic OneDrive connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Oracle connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Outlook connector	<b>✓</b>	~	<b>~</b>
Elastic PostgreSQL connector	<b>✓</b>	~	<b>~</b>
Elastic Redis connector	<b>✓</b>	~	<b>~</b>
Elastic S3 connector	<b>~</b>	<b>~</b>	<b>~</b>
Elastic Salesforce connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic ServiceNow connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic SharePoint Online connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic SharePoint Server connector	<b>✓</b>	<b>✓</b>	<b>~</b>
Elastic Slack connector	<b>✓</b>	<b>✓</b>	<b>~</b>

Elastic Teams connector	~	<b>✓</b>	<b>~</b>
Elastic Zoom connector	<b>✓</b>	<b>✓</b>	<b>~</b>

## DATA EXPLORATION & VISUALIZATION

Visualizations				
Time series	~	~	~	<b>~</b>
Geo	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Metrics	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>
Tables	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>
Tag cloud	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Custom (Vega)	~	~	~	~
Lens	~	~	~	<b>~</b>
Data exploration				
ES QL (Elasticsearch Query Language)	~	~	~	<b>~</b>
Dashboards	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>

Drilldown between dashboards	~	~	~	<b>✓</b>
Drilldown to URL		<b>✓</b>	<b>✓</b>	<b>~</b>
Discover	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Console	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Kibana query autocomplete	~	~	~	<b>✓</b>
Kibana runtime fields editor	~	~	~	<b>~</b>
Run search sessions in background	~	~	~	<b>~</b>
Graph analytics		<b>✓</b>	<b>✓</b>	
Data views	~	~	~	<b>~</b>
Share & collaborate				
Embeddable dashboards	~	~	~	<b>✓</b>
Anonymous access control (public sharing)	~	~	~	<b>✓</b>
CSV exports	~	~	~	~

PDF and PNG reports		~	~	~
Saved queries	<b>✓</b>	~	~	~
Content management				
Kibana Spaces	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Custom banners		~	~	~
Custom branding			<b>~</b>	
Object export UI & APIs	<b>✓</b>	~	~	~
Tags	~	~	~	~
Navigational search	<b>✓</b>	~	~	~
ELASTIC OBSERVABILITY				
Observability overview	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
User Experience overview	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>

Curated ad hoc data

exploration

Service Level

Objectives (SLOs)

Kibana alerting and actions <sup>5</sup>	<b>✓</b>	<b>✓</b>	~	<b>~</b>
Elastic Al Assistant			~	
Universal Profiling			~	
LLM Observability	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>

## **ELASTIC APM**

APM Server	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>
Jaeger intake	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
OpenTelemetry intake for traces and metrics	<b>✓</b>	<b>✓</b>	~	<b>✓</b>
APM app	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>
Distributed tracing	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Service maps		~	~	
Tail-based sampling		~	~	
Correlations		~	~	
Synthetic _source for APM indices	15	15	~	15

LLM tracing	<b>~</b>	<b>~</b>	<b>~</b>	~
APM agents				
Java	<b>~</b>	<b>✓</b>	<b>~</b>	<b>~</b>
.NET	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Go	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Ruby	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
RUM (JavaScript)	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>
PHP	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>
Python	<b>✓</b>	~	<b>~</b>	<b>~</b>
Node	<b>~</b>	~	<b>~</b>	<b>~</b>
Integrations				
Elastic Logs, Metrics	~	<b>✓</b>	<b>~</b>	<b>~</b>
Kibana alerting and actions <sup>5</sup>	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Machine learning		<b>✓</b>	<b>~</b>	
Synthetic _source for Profiling indices	15	15	<b>✓</b>	15

## **ELASTIC LOGS**

Log shipper (Filebeat)	<b>✓</b>	<b>✓</b>	~	~
Dashboards for common data sources	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Logs app	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>
Logsdb indices for logs	<b>✓</b>	~	<b>✓</b>	<b>~</b>
Synthetic _source for logsdb indices	15	15	<b>~</b>	15
Custom routing on sort fields for logsdb			<b>✓</b>	
Integrations	·			
Elastic APM, Synthetic Monitoring private locations	<b>✓</b>	~	<b>✓</b>	<b>~</b>
Kibana alerting and actions <sup>5</sup>	<b>✓</b>	~	~	~
Log categorization		<b>✓</b>	<b>~</b>	
Machine learning			<b>√</b>	

## **ELASTIC METRICS**

Metric shipper (Metricbeat)	~	<b>✓</b>	<b>✓</b>	<b>✓</b>		
Dashboards for common data sources	<b>✓</b>	<b>✓</b>	~	<b>~</b>		
Metrics app	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>		
Time series indices for metrics (TSDS)	<b>✓</b>	<b>✓</b>	~	~		
Synthetic _source for time series indices	15	15	~	15		
Downsampling	<b>✓</b>	<b>✓</b>	~	~		
Integrations	Integrations					
Elastic Logs, APM	<b>✓</b>	<b>~</b>	<b>✓</b>	<b>~</b>		
Kibana alerting and actions <sup>5</sup>	~	<b>✓</b>	<b>✓</b>	<b>✓</b>		
Machine learning		<b>✓</b>	~			
	ELASTIC SYNT	HETIC MONIT	ORING			
Synthetic Monitoring UI	~	<b>✓</b>	~	~		
Project Monitors	<b>✓</b>	<b>✓</b>	<b>~</b>	<b>~</b>		

		I .	I	
Managed Test Execution Service <sup>14</sup>				
Private Testing Locations	<b>✓</b>	~	~	<b>~</b>
Point and Click Script Recorder	~	<b>✓</b>	~	<b>~</b>
Integrations				
Elastic Logs, Metrics, APM	~	~	~	~
Kibana alerting and actions <sup>5</sup>	~	~	~	<b>~</b>
Machine learning		<b>~</b>	<b>✓</b>	
	ELAST	IC SECURITY		
Elastic Common	./			<u></u>

Elastic Common Schema	~	<b>✓</b>	<b>✓</b>	<b>~</b>
Extended detection and response (XDR)	~	~	~	<b>~</b>
Security information and event management (SIEM)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Host security analysis	<b>~</b>	<b>~</b>	<b>✓</b>	<b>~</b>

Network security analysis	~	~	<b>✓</b>	~
User security analysis	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Timeline event explorer	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Case management	<b>~</b>	<b>~</b>	<b>✓</b>	~
Detection engine (e.g., correlation, indicator match, threshold)	~	~	<b>✓</b>	~
Prebuilt detection rules	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Prebuilt detection rules import/export	~	~	<b>✓</b>	
Prebuilt detection rules customization			<b>✓</b>	
Detection alerts suppression		~	<b>✓</b>	
Analyst Insights		<b>✓</b>	<b>✓</b>	
Detection alert external actions		~	<b>✓</b>	~
Machine learning anomaly detection		~	<b>✓</b>	

Prebuilt anomaly detection jobs		<b>✓</b>	<b>✓</b>	
Attack Discovery			<b>✓</b>	
Malware prevention	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Admin-defined endpoint blocklist	<b>✓</b>	~	<b>✓</b>	~
Ransomware prevention		~	<b>✓</b>	
Malicious behavior protection		~	<b>✓</b>	
Memory threat protection		~	<b>✓</b>	
Self healing		~	~	
Host Isolation		~	~	
Interactive response console			<b>✓</b>	
Tamper protection		~	<b>~</b>	<b>~</b>
Elastic Al Assistant			~	
Threat intelligence management			<b>✓</b>	

Customizable on- endpoint protection notifications		<b>✓</b>	<b>✓</b>	
Cloud and Kubernetes Security Posture Management (K/CSPM)			<b>✓</b>	
Workload session auditing			~	
Integrations				
Elastic Agent	<b>✓</b>	<b>✓</b>	~	~
Elastic APM	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
IPinfo Commercial Database			~	
Elastic Maps	<b>✓</b>	<b>✓</b>	~	~
Kibana Alerts and Actions <sup>5</sup>	<b>✓</b>	<b>✓</b>	~	~
Response actions on 3rd-party endpoint solutions			<b>✓</b>	
Osquery Manager	<b>✓</b>	<b>~</b>	<b>~</b>	<b>~</b>

Network Packet Capture <sup>12</sup>	~	<b>✓</b>	<b>✓</b>	<b>~</b>
Threat intelligence feeds and platforms	~	<b>✓</b>	~	<b>~</b>
Atlassian Jira		<b>✓</b>	<b>✓</b>	<b>~</b>
Swimlane SOAR		<b>✓</b>	<b>✓</b>	<b>~</b>
IBM Resilient		<b>✓</b>	<b>✓</b>	
ServiceNow ITOM, ITSM, SecOps		<b>✓</b>	~	
Generative Al Connector for Open Al, Azure Open Al, AWS Bedrock, Google Vertex Al			<b>✓</b>	
Machine learning		<b>~</b>	<b>~</b>	

## **ELASTIC MAPS**

Elastic Maps Service <sup>6</sup>				
Base layer maps	<b>✓</b>	<b>✓</b>	<b>✓</b>	~
Elastic Maps Server <sup>11</sup>			~	

Maps app

Shapefile and GeoJSON upload	~	~	~	<b>✓</b>
Multiple layers	~	~	~	<b>~</b>
Native vector tile support	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Layer-based filtering	~	~	~	<b>~</b>
Client-side styling	<b>~</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Individual points and shapes	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Geo aggregations	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>
Embed Maps in dashboard	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Tracking alerts		<b>~</b>	<b>✓</b>	<b>~</b>
Containment alerts		<b>✓</b>	<b>✓</b>	<b>~</b>
Geo-threshold alerts	~	~	~	<b>~</b>
Display up to 24 zoom levels	~	~	~	<b>~</b>
Custom raster and vector tile service support	~	~	~	<b>✓</b>

#### **ORCHESTRATION**

## Elastic Cloud Enterprise Deploy anywhere: bare metal, VMs, private or public cloud Centrally provision, manage, and monitor multiple clusters Resource tagging, and tag-based deployment configuration Online same-day version updates Single-click upgrades & scaling User and role management Automated periodic snapshots

Optimized resource utilization		<b>✓</b>	
Container-based resource isolation		~	
Cross-cluster search and replication across ECE installations		<b>✓</b>	
Deployment autoscaling		<b>✓</b>	
Advanced security for remote clusters		<b>✓</b>	
Elastic Cloud on Kubernetes <sup>4</sup>			
Deploy Elasticsearch, Kibana, and APM Server, Beats, Enterprise tier, and Elastic Agent on Kubernetes	<b>✓</b>	<b>✓</b>	
Kibana, and APM Server, Beats, Enterprise tier, and Elastic Agent on	<b>✓</b>		

Default Elastic Stack security and authentication for every deployment	~	<b>✓</b>
Single command upgrades and scaling	~	~
Cross-cluster replication and search within or outside of a Kubernetes cluster		<b>✓</b>
Autoscaling Elasticsearch and Machine learning nodes		<b>✓</b>

#### **SUPPORT**

Support coverage	24/7/365	24/7/365	Business hrs
Target initial response times	Critical: 1 hr L2: 4 hrs L3: 1 business day	Critical: 1 hr L2: 4 hrs L3: 1 business day	Critical: 4 hrs L2: 1 day L3: 2 days
Unlimited # of incidents	~	~	~
Unlimited # of projects		<b>✓</b>	

Support contacts <sup>7</sup>	8	8	6
Web and phone support	<b>✓</b>	<b>✓</b>	~
Emergency patches	~	~	

<sup>&</sup>lt;sup>1</sup> For a more detailed discussion of our licensing options and 2021 licensing changes, please refer to the <u>licensing FAQ on our website</u>.

<sup>&</sup>lt;sup>2</sup> Available under the Elastic License. Select features are also available under SSPL or Apache License 2.0. For questions about which features may be licensed under SSPL and Apache License 2.0, please contact <u>elastic\_license@elastic.co</u>.

<sup>&</sup>lt;sup>3</sup> Feature is currently not available in deployments on Elastic Cloud Enterprise.

<sup>&</sup>lt;sup>4</sup> Customers whose Enterprise subscriptions use ECE/ECE Instances as the billing metric must agree to additional terms before they can access the Enterprise-level features listed in this section. Please <u>contact us</u>.

<sup>&</sup>lt;sup>5</sup> Refer to the Alerting section (Kibana Alerts and Kibana Actions items) for further details. Alerting rules based on anomaly detection or SLOs are only available on Platinum and Enterprise tiers.

<sup>&</sup>lt;sup>6</sup> Elastic Maps Service - Terms of Service

<sup>&</sup>lt;sup>7</sup> Elastic Certified Professionals can be added as additional Support contacts on paid subscriptions at no additional charge.

<sup>&</sup>lt;sup>8</sup> Access to administering Kibana subfeature privileges start at the Gold tier and are available on a per-feature basis matching the feature's subscriptions tier.

<sup>&</sup>lt;sup>9</sup> Gold Subscription tier is no longer available for new customers, try Elastic Cloud Gold instead. Customers with existing Gold Subscriptions will continue to be supported through the end of its current subscription term.

<sup>&</sup>lt;sup>10</sup> Elastic GeoIP Database Service Agreement


<sup>&</sup>lt;sup>11</sup> Subject to Elastic Vector Tiles Data License Agreement

<sup>&</sup>lt;sup>12</sup> Re-distributing the Windows release of Packetbeat and the Network Packet Capture agent integration for Windows hosts requires an additional license to npcap, a Windows packet sniffing library, that may be obtained from nmap.org.

- <sup>13</sup> Advanced cluster rebalancing is based on observed data stream write loads described in **cluster-level shard allocation**.
- <sup>14</sup> Access to the global managed testing infrastructure is for users running Elastic Cloud only. Self managed users can deploy their own testing nodes using private locations.
- <sup>15</sup> Synthetic \_source is an Enterprise feature from 8.17 onward.
- <sup>16</sup> Updates provided through this subscription page exclude End-of-Life (EOL) products such as Enterprise Search or included features such as App Search, Workplace Search, Elastic web crawler or native connectors. For more details on discontinued products, please consult our product subscription archive.

The list above reflects the features available in the latest version of the Elastic Stack. Any features or functions of services or products referenced on this page or other pages, or in any presentations, press releases or public statements, which are not currently available or not currently available as a GA release, may not be delivered on time or at all. The development, release, and timing of any features or functionality described for our products remains at our sole discretion. Customers who purchase our products and services should make the purchase decisions based upon services and product features and functions that are currently available.

<u>Download PDF Version</u> or <u>Previous Versions Available Here</u>



	ABOUT US
	About Elastic
	Leadership
	Blog
FOLLOW US	Newsroom
	JOIN US
	Careers
	Career portal

#### **PARTNERS**

How we hire

Find a partner

Partner login Request

access

Become a partner

TRUST & SECURITY

Legal

Trust center

Drive

гичасу

Trade

Compliance

Ethics &

Compliance

# INVESTOR RELATIONS

Investor

resources

Governance

Financials

Stock

## EXCELLENCE AWARDS

Previous

winners

**ElasticON** 

Tour

Become a

sponsor

All events

<u>Trademarks</u> <u>Terms of Use</u> <u>Privacy</u> Sitemap

© 2025. Elasticsearch B.V. All Rights Reserved

This website and all associated content, software, discussion forums, products, and services are intended for professional use only. No consumer use of this website or its content is intended or directed. Elastic, Elasticsearch, and other related marks are trademarks, logos, or registered trademarks of Elasticsearch B.V. in the United States and other countries.

Apache, Apache Lucene, Apache Hadoop, Hadoop, HDFS and the yellow elephant logo are trademarks of the <u>Apache Software Foundation</u> in the United States and/or other countries. All other brand names, product names, or trademarks belong to their respective owners.